

	Hits	Search Text	DBs
1	7	(hierarchical with database\$1) and (break\$4 adj point\$1) and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	5	16 and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	105794	databases	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	1	19 and child	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	3	17 and databases	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	99	information adj management adj system adj database\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	90	21 and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	21	22 and (hierarchical near5 (data\$1base\$1 or storage\$1 or repositor\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	3	23 and (xml or (extensible adj markup adj language))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	0	24 and ((break\$4 or divid\$4) with point\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	3	24 and databases	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	0	26 and child	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	0	26 and parent\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	0	26 and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	6	23 and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	0	30 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	0	30 and (extensible adj markup)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	1	23 and (java adj class\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB